- 2 -

Int'l App. No.: PCT/EP99/05584 Int'l Filing Date: 03 August 1999

in which;

m is 1 or 2:

n is 1 or 2;

X is CH or N;

Y is selected from hydrogen, halogen, cyano, CF3, alkyl or alkoxy;

 $R^{1}$ , which may be at any position within the saturated ring system, is hydrogen or up to two substituents which may be the same or different and each of which is selected from fluoro and  $C_{1-6}$  alkyl;

R<sup>2</sup> is hydrogen or up to four substituents selected from halogen, NO<sub>2</sub>, CN, N<sub>3</sub>, CF<sub>3</sub>O-,

CF<sub>3</sub>S-, CF<sub>3</sub>CO-, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkenyl, C<sub>1-6</sub>alkynyl,

 $C_{1-6}$ perfluoroalkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl- $C_{1-4}$ alkyl-,  $C_{1-6}$ alkyl-,

C<sub>1-6</sub>alkylCO-, C<sub>3-6</sub>cycloalkylO-, C<sub>3-6</sub>cycloalkylCO-,

C<sub>3-6</sub>cycloalkyl-C<sub>1-4</sub>alkylO-, C<sub>3-6</sub>cycloalkyl-C<sub>1-4</sub>alkylCO-, phenyl, phenoxy, benzyloxy.

benzoyl, phenyl-C<sub>1-4</sub>alkyl-, C<sub>1-6</sub>alkylS-, C<sub>1-6</sub>alkylSO<sub>2</sub>-,

 $(C_{1-4}alkyl)_2NSO_2$ -,  $(C_{1-4}alkyl)NHSO_2$ -,  $(C_{1-4}alkyl)_2NCO$ -, oxazolyl,

(C<sub>1-4</sub>alkyl)NHCO-, CONH<sub>2</sub>;

or  $R^4CONH$ -or  $-NR^4R^5$ 

wherein R<sup>4</sup> is hydrogen or C<sub>1-4</sub> alkyl, and;

 $R^5$  is hydrogen,  $C_{1-4}$ alkyl, formyl,  $-CO_2C_{1-4}$ alkyl or  $-COC_{1-4}$ alkyl;

or two  $R^2$  groups are linked together form a carbocyclic or heterocyclic ring that is saturated or unsaturated and unsubstituted or substituted by -OH or =O;

or a pharmaceutically acceptable salt thereof.

2. (Amended) A compound of formula (I) according to claim 1 wherein:

R1 is hydrogen, fluoro, methyl, ethyl or propyl; and

R<sup>2</sup> is hydrogen or one or more of methyl, ethyl, *n*-butyl, phenyl, *iso*-propyl, *t*-butyl, methoxy, ethoxy, n-propoxy, *iso*-propoxy, *n*-butoxy, phenoxy, benzyloxy, bromo, chloro, iodo, fluoro, nitro, cyano, acetyl, pivaloyl, *iso*-butyroyl, benzoyl, trifluoromethyl, trifluoromethoxy, trifluoroacetyl, amino, acetylamino, methylthio, oxazolo, methylsulfonyl, *n*-propylsulfonyl, isopropylsulfonyl or dimethylsulfamoyl.

Int'l App. No.: PCT/EP99/05584 Int'l Filing Date: 03 August 1999

- 3. (Amended) A compound of formula (I) according to claim 1 [or claim 2] wherein:  $R^{1}$  is hydrogen, and;
- $R^2$  is hydrogen or one or more of ethyl, methoxy, trifluoromethyl, cyano, chloro, fluoro.
- 4. (Amended) A compound according to [any one of claims] <u>claim</u> 1 [to 3] selected from: 3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxybenzamide; 3-bromo-4-ethyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-benzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;
- 3-bromo-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide; 3-bromo-4-ethoxy-N-(1,3,4,6,7,11b-hexahydro-2H-pyrido[2,1-a]isoquinolin-10-yl)benzamide;
- N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-propionylbenzamide;
- N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a] is oquinolin-9-yl)-4-ethoxy-3-propionylbenzamide;
- 3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
- $3\hbox{-acetyl-N-} (1,2,3,5,6,10b\hbox{-hexahydropyrrolo} [2,1\hbox{-a}] is oquino lin-9\hbox{-yl})\hbox{-}4\hbox{-methoxybenzamide};$
- 3-fluoro-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxybenzamide;
- 3,5-dichloro-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
- 3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a] is oquinolin-9-yl)-4-propoxybenzamide;
- 3-butyryl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a] is oquinolin-9-yl)-4-methoxybenzamide;
- 3-iso-butyryl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;
- 3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-1-isopropylbenzamide;
- 4-oxo-chroman-6-carboxylic acid (1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)amide;
- N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxy-3-propionylbenzamide;
- N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-isobutyryl-4-methoxybenzamide;

- 4 -

Int'l App. No.: PCT/EP99/05584 Int'l Filing Date: 03 August 1999

N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-ethoxy-3-isobutyrylbenzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-ethoxy-3-fluorobenzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxy-3-fluorobenzamide; 3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide; 3-cyano-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-benzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-propionyl-4-propoxybenzamide;

3-acetyl-4-ethyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
3-acetyl-4-chloro-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
3-acetyl-4-bromo-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
3-acetyl-5-bromo-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
3-cyano-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;
3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;
3-acetyl-4-acetylamino-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide;

3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropylbenzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-propionyl-4-isopropoxybenzamide;

3-acetyl-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)- benzamide; 3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxybenzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;

3-fluoro-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-benzamide; 4-ethoxy-3-fluoro-N- (1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide; 3-butyryl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-propoxybenzamide; 3-butyryl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-propoxybenzamide; 3-butyryl-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide; 3-iso-butyryl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-propoxybenzamide;

· - 5 -

GLAXOSMITHKLINE

Int'l App. No.: PCT/EP99/05584 Int'l Filing Date: 03 August 1999

3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-iso-propoxybenzamide; 3-chloro-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-iso-propoxybenzamide;

3-cyano-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropylbenzamide; 3-bromo-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-iso-propoxybenzamide;

5-acetyl-N-(1,2,3,5,6,10b-hexahydropyπolo[2,1-a]isoquinolin-9-yl)-2-methoxy-4-isopropoxybenzamide;

N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-pivaloylbenzamide; N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-2-methoxy-4-isopropyl-5-trifluoromethylbenzamide:

naphthalene-2-carboxylic acid (1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)amide; benzothiazole-5-carboxylic acid (1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)amide;

2,3-dihydrobenzofuran-5-carboxylic acid (1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)carboxamide;

3-acetyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide; 3-chloro-4-ethoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)benzamide; N-3-(N, N-dimethylcarboxamido)-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide:

3-bromo-N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-ethoxybenzamide;

3-bromo-N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

3-cyano-N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropytrolo[2,1-a]isoquinolin-9-yl)-4-isopropylbenzamide;

3-acetyl-N- (6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

GLAXOSMITHKLINE

Int'l App. No.: PCT/EP99/05584 Int'l Filing Date: 03 August 1999

11:09

N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropymolo[2,1-a]isoquinolin-9-yl)-3-fluoro-4-methoxybenzamide;

N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-fluoro-4-ethoxybenzamide;

N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-fluoro-4-isopropoxybenzamide;

3-cyano-N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxybenzamide;

3-acetyl-N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxybenzamide;

N-(6,6-dimethyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-3-fluoro-4-methoxybenzamide;

N-(7-chloro-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;

10b-methyl-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;

3-bromo-N-4-ethoxy(6-methyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

N-(6-methyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a] is oquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;

N-(5-methyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-methoxy-3-trifluoromethylbenzamide;

3-acetyl-N-(5-methyl-1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-9-yl)-4-isopropoxybenzamide;

3-acetyl-N-(2,3,5,6,7,11b-hexahydro-1H-benzo[c]pyrrolo[1,2-a]azepin-10-yl)-4-isopropoxybenzamide;

N-(2,3,5,6,7,11b-hexahydro-1H-benzo[c]pyrrolo[1,2-a]azepin-10-yl)-4-methoxy-3-trifluoromethylbenzamide;

4-tert-butyl-2-methoxy-N-(1,2,3,5,6,10b-hexahydropyrrolo[2,1-a]isoquinolin-7-yl)benzamide;